



ELVALOY™ 741

Copolymer

Description			
Product Description	ELVALOY™ 741 an ethylene/vinyl acetate/carbon monoxide (EVA/CO) copolymer.		
Restrictions			
Material Status	Commercial: Active		
Other Restrictions	Dow recommends to consume the product within 18 months after date of production. See CoA (Certificate of Analysis) supplied with the resin to confirm date of manufacture. If no CoA is available, contact your Dow representative to determine the date of manufacture based on the production batch or lot number.		
Typical Characteristics			
Uses	Polymer Modifier		
Features	Permanent, non-migrating PVC modifier. CPVC, TPU modifier.		
Characteristics / Benefits	ELVALOY™ 741 copolymer deliver toughness and flexibility that is locked in to PVC. ELVALOY™ 741 copolymer will not migrate like liquid plasticizers.		
	Tensile Strength ----- 5.9 MPa ----- ASTM D638 Elongation @ Break ----- 950% ----- ASTM D638 Durometer Hardness ----- 70 Shore A ----- ASTM D2240 Molecular Weight Distribution ----- Normal ----- ASTM D3593		
Applications	ELVALOY™ 741 is a high molecular weight copolymer often used as a non-migrating, permanent PVC plastizer in roofing, geo-membranes, and other applications needing flexible pvc.		
Typical Properties			
Physical	Nominal Values	Test Method(s)	
*Density ()	1 g/cm ³	ASTM D792	ISO 1183
*Melt Flow Rate (190°C/2.16kg)	35 g/10 min	ASTM D1238	ISO 1133
Thermal	Nominal Values	Test Method(s)	
*Melting Point (DSC)	66 °C (150.8 °F)	ASTM D3418	ISO 3146
*Glass Transition Temperature (DSC)	-32 °C (-25.6 °F)	ASTM D3418	
Processing Information			
*Maximum Processing Temperature	240 °C (464 °F)		
FDA Status Information	ELVALOY™ 741 resin complies with Food and Drug Administration Regulation 21 CFR 175.105 - - Adhesives. This Regulation describes adhesives that may be used as components of articles intended for use in packaging, transporting, or holding food, subject to the limitations and requirements therein.		
	The information and certifications provided herein are based on data we believe to be reliable, to the best of our knowledge. The information and certifications apply only to the specific material designated herein as sold by Dow and do not apply to use in any process or in combination with any other material. They are provided at the request of and without charge to our customers. Accordingly, Dow cannot guarantee or warrant such certifications or information and assumes no liability for their use.		
Regulatory Information	For information on regulatory compliance outside of the U.S.A., consult your local Dow representative.		

Safety & Handling

For information on appropriate Handling & Storage of this polymeric resin, please refer to the material Safety Data Sheet.

A Product Safety Bulletin, material Safety Data Sheet, and/or more detailed information on extrusion processing and/or compounding of this polymeric resin for specific applications are available from your Dow representative.

Product Stewardship

The Dow Chemical Company and its subsidiaries (“Dow”) has a fundamental concern for all who make, distribute, and use its products, and for the environment in which we live. This concern is the basis for our Product Stewardship philosophy by which we assess the safety, health, and environmental information on our products and then take appropriate steps to protect employee and public health and our environment. The success of our Product Stewardship program rests with each and every individual involved with Dow products – from the initial concept and research, to manufacture, use, sale, disposal, and recycle of each product.

Customer Notice

Dow strongly encourages its customers to review both their manufacturing processes and their applications of Dow products from the standpoint of human health and environmental quality to ensure that Dow products are not used in ways for which they are not intended or tested. Dow personnel are available to answer your questions and to provide reasonable technical support. Dow product literature, including safety data sheets, should be consulted prior to use of Dow products. Current safety data sheets are available from Dow.

Medical Applications Policy

NOTICE REGARDING MEDICAL APPLICATION RESTRICTIONS: Dow will not knowingly sell or sample any product or service (“Product”) into any commercial or developmental application that is intended for:

- a. long-term or permanent contact with internal bodily fluids or tissues. “Long-term” is contact which exceeds 72 continuous hours (or for PELLETHANE™ Polyurethane Elastomers only, which exceeds 30 days);
- b. use in cardiac prosthetic devices regardless of the length of time involved (“cardiac prosthetic devices” include, but are not limited to, pacemaker leads and devices, artificial hearts, heart valves, intra-aortic balloons and control systems, and ventricular bypass-assisted devices);
- c. use as a critical component in medical devices that support or sustain human life; or
- d. use specifically by pregnant women or in applications designed specifically to promote or interfere with human reproduction.

Dow requests that customers considering use of Dow products in medical applications notify Dow so that appropriate assessments may be conducted.

Dow does not endorse or claim suitability of its products for specific medical applications. It is the responsibility of the medical device or pharmaceutical manufacturer to determine that the Dow product is safe, lawful, and technically suitable for the intended use. **DOW MAKES NO WARRANTIES, EXPRESS OR IMPLIED, CONCERNING THE SUITABILITY OF ANY DOW PRODUCT FOR USE IN MEDICAL APPLICATIONS.**

Disclaimer

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, the Customer is responsible for determining whether products and the information in this document are appropriate for the Customer’s use and for ensuring that the Customer’s workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Dow assumes no obligation or liability for the information in this document. **NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.**

NOTICE: If products are described as “experimental” or “developmental”: (1) product specifications may not be fully determined; (2) analysis of hazards and caution in handling and use are required; (3) there is greater potential for Dow to change specifications and/or discontinue production; and (4) although Dow may from time to time provide samples of such products, Dow is not obligated to supply or otherwise commercialize such products for any use or application whatsoever.

Additional Information

North America

U.S. & Canada: 1-800-441-4369
1-989-832-1426
Mexico: +1 800 441 4369

Europe/Middle East

All Countries: +31-11567-2626
+800-3694-6367
+800 782 825

Latin America

Argentina: +54-11-4319-0100
Brazil: +55-11-5188-9000
Colombia: +57 1 218 6000

Mexico: +1-800-441-4303

Italy: +800-703-023

Colombia: +57-1-213-0000
Mexico: +52-55-5201-4700

South Africa +800-99-5078

Asia Pacific +800-7776-7776
+60-3-7958-5392

<http://www.dow.com>

Published August 2019

© 2019 The Dow Chemical Company

Version: 185.0
Last modified at 8/31/2019 2:47 PM